Google™ Scholar ☉ BETA

Scholar All articles Recent articles Results **1 - 10** of about **14** for **computer-based modeling racks shelve**

All Results

P Krein

P Sauer

S Mueller

A Hill

An integrated laboratory for electric machines, power systems, andpower electronics - group of 4 »
PT Krein, PW Sauer - Power Systems, IEEE Transactions on, 1992 - ieeexplore.ieee.org
... 3] emphasizes industrial drive systems and **computer-based** machine testing ... Figure 2. A set of **shelves** comprises the ... Within the **rack**, but not Table I — Summary ...
Cited by 10 - Related Articles - Web Search

Method and system for automatic detection, inventory, and operating system deployment on network ...
G Iszlai, SS Iszlai - 2006 - freepatentsonline.com
... may contain static data, such as, computer **model** identification, serial ... system, whereas a client in **Rack**-8, shelf ... **Based** on that information, boot server 410 may ...
Cached - Web Search

Warehousing literature
KJ Roodbergen - roodbergen.com
... JA (1988), Analysis of rotary **rack** operation, Material ... JE (2001),Placing boxes on **shelves**: a case ... ME, and Brandeau ML (1996), Stochastic **modeling** for automated ...
Related Articles - View as HTML - Web Search

[DOC] Technical Appendix - group of 5 »
B Appendix - LAMP, 2000 - epics.ecn.purdue.edu
... Computer labs are great for **computer based** classes, but what about ... s classrooms will make it a **model** for other ... Furthermore, the server **rack** can be easily fit a ...
Related Articles - View as HTML - Web Search

Robins Air Force Base
S Number - PUBLIC LAW - ebs.sas.usace.army.mil
... DESIGN CONSIDERATIONS 2 -TRAINING ROOM 3.ASSISTANT CHIEF FORTRAINING OFFICE 4
-AUDIOVISUAL STORAGE 5 - FIRE FIGHTING COMPUTER SIMULATION **MODEL** 6 - TESTING ...
Related Articles - View as HTML - Web Search

1. Observatory Operations and Meteorology
J Barnes, P Fukumura-Sawada, D Kuniyuki, L Pajo, S ... - cmdl.noaa.gov
... ozone profile measurements using a **computer-based** automated Dobson ... m (EPA NERL)
Dichotomous Partisol-Plus **model** 2025 ... The **HP** data acquisition unit, used for the ...
Related Articles - View as HTML - Web Search

Air Compressor Project
CA Equipment - lcra.org
... b. Instructions for installation, start-up, operation, inspection, maintenance,
parts lists and recommended spare parts, and data sheets showing **model** numbers. ...
View as HTML - Web Search

Abstracts of scientific papers second annual meeting of the Society for Technology in Anesthesia ...

WT Frazier - Journal of Clinical Monitoring and Computing, 1992 - Springer

... approaches we used were to add **shelves**, brackets, broader ... numeric features, trend displays, and **model**-based projections. ... We then placed a Tram **Rack** 4 Patient ...

Web Search

[BOOK] Upgrading and Repairing PCs - group of 4 »

S Mueller - 2003 - books.google.com

... I only wish Sun, IBM, and **HP** could write technical ... a place of honour on my **shelves** next to ... 135 Power Management Bugs 136 Pentium Processor **Models** and Steppings ...

Cited by 39 - Related Articles - Web Search - Library Search

[PS] Future Directions in Text Analysis, Retrieval and Understanding - group of 2 »

JS Deogun, E Fox, VV Raghavan, A Bookstein, C ... - fox.cs.vt.edu

... searching. • Theoretical **modeling**. ... tasks. **Model**- ing should be tried to improve the use of systems and accelerate the design of new systems. ...

Related Articles - View as HTML - Web Search

Google ▶

Result Page: 1 2   **Next**

| computer-based modeling racks she | Search |

Google Home - **About Google** - **About Google Scholar**

Pro Quest Dissertations

Recent Searches

Add terms to your search using: `AND` ▼

3. (zhang-alex)
   Database: Dissertations & Theses: Full Text
   Look for terms in: Citation and abstract
   Publication type: All publication types

   0 result `Add to Search`
   Set Up Alert ⊠

2. (Beyer-Dirk)
   Database: Dissertations & Theses: Full Text
   Look for terms in: Citation and abstract
   Publication type: All publication types

   1 result `Add to Search`
   Set Up Alert ⊠

1. (Shahoumain-Troy)
   Database: Dissertations & Theses: Full Text
   Look for terms in: Citation and abstract
   Publication type: All publication types

   0 result `Add to Search`
   Set Up Alert ⊠

	Type	L #	Hits	DBs	Search Text	Time Stamp
1	BRS	L1	1	USPAT	"5850539".pn.	2007/04/13 14:11
2	BRS	L2	7	US-PGPUB; USPAT; USOCR	("4591983" | "4870591" | "5257387" | "5460441" | "5499357" | "5515524" | "5560022").PN.	2007/04/13 14:27
3	BRS	L3	2	US-PGPUB; USPAT; USOCR	10/289662	2007/04/13 14:27
4	BRS	L4	620	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(placement same components same rack)	2007/04/13 15:15
5	BRS	L5	20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(placement same components same rack) and (optimiz$5 same computer)	2007/04/13 14:28
6	BRS	L6	3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(placement same components same rack) and (optimiz$5 same computer) and height and weight	2007/04/13 15:14
7	BRS	L7	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	703/1.ccls. and @py>="20060906"	2007/04/13 15:58

	Type	L #	Hits	DBs	Search Text	Time Stamp
8	BRS	L8	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	"6378119".pn. and contrain$4	2007/04/13 15:15
9	BRS	L9	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	"6378119".pn. and overlap	2007/04/13 15:15
10	BRS	L10	11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(placement same components same rack) and overlap and constrain$3	2007/04/13 15:15
11	BRS	L11	0	US-PGPUB; USPAT; USOCR	L6 and constraint	2007/04/13 15:41
12	BRS	L12	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(shahoumain-troy).in.	2007/04/13 15:44

	Type	L #	Hits	DBs	Search Text	Time Stamp
13	BRS	L13	84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(beyer-d).in.	2007/04/13 15:42
14	BRS	L14	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(beyer-d).in. and (rack).clm.	2007/04/13 15:42
15	BRS	L15	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(beyer-d).in. and (optimi$7).clm.	2007/04/13 15:44
16	BRS	L16	323	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(zhang-a).in.	2007/04/13 15:43
17	BRS	L17	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(zhang-a).in. and rack.clm.	2007/04/13 15:43

	Type	L #	Hits	DBs	Search Text	Time Stamp
18	BRS	L18	2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(zhang-a).in. and rack	2007/04/13 15:43
19	BRS	L19	84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(beyer-d).in.	2007/04/13 15:44
20	BRS	L20	1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(beyer-d).in. and rack	2007/04/13 15:44
21	BRS	L21	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(shahoumain-t).in.	2007/04/13 15:44
22	BRS	L22	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(Hewlett-Packard).in. and rack	2007/04/13 15:45

	Type	L #	Hits	DBs	Search Text	Time Stamp
23	BRS	L23	1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(Hewlett-Packard).in.	2007/04/13 15:45
24	BRS	L24	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(Hewlett-Packard-Development-Company).in.	2007/04/13 15:45
25	BRS	L25	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	361/727.ccls. and @py>="20060906"	2007/04/13 15:58

Google Scholar BETA

non-overlapping "rack assembly" | Search |

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar

Results **1 - 4** of **4** for **non-overlapping "rack assembly"**. **(0.06** seconds)

All Results

F Donnelly

Tip: Try removing quotes from your search to get more results.

Tool rack organizer - group of 2 »
MJ Cash, JA Buffaloe - US Patent 6,681,940, 2004 - Google Patents
... The **rack assembly** 120 includes a pair of longitudinally spaced, frontally and ... rack
arms 134, 136 are disposed in pivotal in **non- overlapping**, phase opposition ...
Related Articles - Web Search

Adjustable storage rack - group of 6 »
R Villanueva - US Patent 5,746,139, 1998 - Google Patents
... storageracksystemwhichincludes atleasttwo shelfassem- aconventional **non-overlapping**
step-like configuration, ... 12 shows a three-tier storage **rack assembly**. This ...
Cited by 2 - Related Articles - Web Search

Method for monitoring and controlling traction motors in locomotives - group of 3 »
FW Donnelly, BG Iwan - US Patent 6,984,946, 2006 - Google Patents
Page 1. United States Patent Donnelly et al. (54) METHOD FOR MONITORING AND
CONTROLLING TRACTION MOTORS IN LOCOMOTIVES (75) Inventors ...
Related Articles - Web Search

XX XX XX
FW Donnelly - US Patent 7,124,691, 1992 - Google Patents
Page 1. United States Patent Donnelly et al. (54) METHOD FOR MONITORING
AND CONTROLLING LOCOMOTIVES (75) Inventors: Frank Wegner ...
Related Articles - Web Search

non-overlapping "rack assembly" | Search |

Google Home - About Google - About Google Scholar

Google Scholar BETA

optimization non-overlapping "rack assembly"   Search

Tip: Try removing quotes from your search to get more results.

Your search - **optimization non-overlapping "rack assembly"** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try your query on the entire web.

Google Home - About Google - About Google Scholar

Google Scholar BETA

optimization overlap constraints "rack assembl | Search |

Scholar   Results **1 - 3** of **3** for **optimization overlap constraints "rack assembly"**. **(0.08** seconds)

All Results

M Matveev

Tip: Try removing quotes from your search to get more results.

NASTRAN MODELING OF FLIGHT TEST COMPONENTS FOR UH-60A AIRLOADS PROGRAM TEST CONFIGURATION
F Seible, C La Jolla - ntrs.nasa.gov
... 1. Objective 2. Starting Reference Configuration 3. **Constraints** 4. Loading 5.
Computational Methods & Solutions 6. Eigensystem Results 6.1 External Structural ...
View as HTML - Web Search

Immobilized High Level Waste (HLW) Interim Storage Alternative Generation and analysis and Decision ... - group of 2 »
RB CALMUS - 2000 - osti.gov
... a large-capacity third-generation interim storage facility are staggered such that
there is no **overlap** of the individual project's procurementkonstruction ...
Related Articles - View as HTML - Web Search

[DOC] Realization and test of a 0.25µm Rad-Hard chip for ALICE ITS data acquisition chain - group of 2 »
D Falchieri, A Gabrielli, E Gandolfi, M Matveev, P ... - ph-collectif-lecc-workshops.web.cern.ch
... can stand high hit rates, as well as noisy channels, and **overlapping** triggers. ...
Optimisation of the front-end amplifier and critical design issues are discussed ...
Related Articles - View as HTML - Web Search

optimization overlap constraints "rac | Search |

Google Home - About Google - About Google Scholar